

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO

Mertect® LSP Fungicide

EPA Reg. No. 100-890 EPA SLN No. ID-000002

For Control of Seedborne Ascochyta Blight (*Ascochyta rabiei*) in Chickpea Seed

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR PEST CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, and precautions including statements pertaining to the Worker Protection Standards, on the EPA-registered Mertect LSP Fungicide label.

This label must be in the possession of the user at the time of pesticide application.

Seed treatment with Mertect LSP Fungicide will not provide postemergent protection of plants grown in or near infected fields.

Chickpeas - To aid in control of seedborne Ascochyta Blight (Ascochyta rabiei): for ready-mix or slurry seed treaters, mix 14.0 fl. oz. of Mertect LSP Fungicide in an equal amount of water (1:1) to provide adequate coverage and apply to 100 lbs. of seed. Keep dispersion under constant agitation. It is essential that thorough coverage of the seed be obtained. For best results against Ascochyta Blight, plant chickpea seed treated with Mertect LSP Fungicide as late in the spring as possible.

Seed Labeling: Treated seed must be labeled in accordance with the U.S. Seed Act as follows:

This seed treated with Thiabendazole at the manufacturer's recommended rate. Do not use for food, feed or oil purposes.

Use with an EPA-approved dye, which imparts an unnatural color to the seed.

Do not contaminate water by cleaning of equipment or disposal of waste material.

Mertect LSP Fungicide trademark of Syngenta © 2003 Syngenta

24(c) registrant: Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419-8300 EPA SLN No.:ID-000002:

Label Code:

Word - IDMertectLSPchickpeasSLNLbl